GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PR and RD Department – Allegations of irregularities in execution of sub-standard works in Palakonda Mandal of Srikakulam district under MGNREGS Scheme – Disciplinary proceedings initiated against Sri O.Achutaram, the then DEE, PRI, Palakonda and (5) others – WSDs submitted –Appointment of Inquiry Authority under sub-rule (2) APCS (CC&A) Rules, 1991- Orders – Issued.

- - - -

O/o. the ENC,PR, AP, Vijayawada as Enquiry Officer in place of Sri K.Ravindra, C.E (PR), since retired.

4. Government after examination of the matter, hereby appoint the Chief Engineer, (PR)-II, MGNREGS, O/o. the ENC, PR, AP, Vijayawada, by designation as the Inquiring Authority under sub-rule (2) of Rule 20 of APCS (CC&A) Rules, 1991 to inquire into the charges framed against the above (6) Charged Officer, in place of Sri D. Ravindra, Chief Engineer, PR, since retired from service.

5. The Inquiry Authority is requested to conduct Inquiry strictly in terms of rule 20 of Andhra Pradesh Civil Services (classification, control and appeal) Rules, 1991 and submit report as required under (18)(ii) of the above said Rules and furnish the inquiry report. He is also requested to take up the inquiry from the stage where it was left by the previous Inquiry Officer duly collecting relevant material/ records.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

GOPAL KRISHNA DWIVEDI
PRINCIPAL SECRETARY TO GOVT (PR&RD)

To
The Chief Engineer, (PR)-II, MGNREGS, O/o. the ENC, PR, AP, Vijayawada (E.O)
The Superintending Engineer, Panchayat Raj, Srikakulam District (PO).
The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada.
The Individuals through Engineer in Chief, Panchayat Raj, Vijayawada.
Sri K.Ravindra, Chief Engineer, PR (Retired)
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER